

## LED PAR HEAD BPAR5Q-R



### 产品参数

#### OPTICS

Source: 5 x 10W RGBW quad LED

Life: >50,000 H

#### COLOR

RGBW LED color mixing

Color temperature linear: 2700K to 7200K  
Excellent color mixing and rainbow effect

## FEATURES

Beam angle: 7 °

Field angle: 18 °

Strobe: electronic, variable from 1-25Hz or pulse

Dimming: 0%-100% linear dimming

Power supply: battery or DC mains

Battery usage time: 7 hrs (at full power), 19 hrs (when color changing)

Battery charge time: 8 hrs (when connected to mains)

Protection rating: IP65, aluminum die-cast housing

Battery: quick and easy replacement

wireless control

## DISPLAY

Blue and white LCD display

15 second standby auto lock

## SOFTWARE

Upgrades: fast and convenient with uploader over DMX

Remote reset DMX address, fixture reset and sound control by DMX

Run time of LED engine and fixture

4 Control channel modes: 12/11/5/4 CH

3operational modes:DMX-512,Master /Slave&Sound Active

## OTHER SPEC

Installed wireless receiver

Optional six in one flight case with charger base

## POWER

AC100-240V, 50/60HZ

## DIMENSIONS AND WEIGHT

Packing dimension: 38X37.5X40.5cm

Net weight: 7.9 kg

Gross weight: 11.5 kg

## FLIGHT CASE

## FEATURES

With 6 charging bases

With charging status windows

## ELECTRICAL / THERMAL

Max power consumption: pending

Operating temperature: -10 ° C to 45 ° C

## DIMENSIONS AND WEIGHT

Packing dimension: 112.5 × 57 × 55.5cm

Flight case net weight: 40.2kgs

Lighting fixture net weight: 7.85 × 6kgs

Gross weight: 115.3kgs